

GORNOVSKIY, K.V.

Water plants in the Lakes Bol'shoye Miassovo and Bol'shoy Tatkul'.
Trudy Il'm. gos. zap. no.8:57-84 '61. (MIRA 15:11)
(Bol'shoye Miassovo, Lake--Freshwater flora)
(Bol'shoy Tatkul', Lake--Freshwater flora)

GORNSHTEYN4ASK3

600

1. GORNSHTEYN, A. K.; Inzh.
- 2a. USSR (600)
4. Windows; Doors
7. Industrial door and window frames. Biul, Stroi. Tekh. (no. 7, 1952.
Mosgrazhkanuglezhilstroy
9. Monthly List of Russian Accessions, Library of Congress, Aug, 1952. UNCLASSIFIED.

K
GORNSHTEYN, A., inzh.; BOL'SHAKOV, V., inzh.

Efficient implements for mounting large-panel partitions.
Na stroi. Mosk. 1 no.8:17-19 Ag '58. (MIRA 11:10)
(Walls) (Building--Tools and implements)

GORNSHTEYN, B.Ya.; KOLLEROV, D.K.

Basic methodological problems of measurements with gas analyzers.
Izm. tekhn. no.12:37-39 D '64. (MIRA 18:4)

GORNSHTEYN, D.K.; GUDKOV, A.A.; KOSOLAPOV, A.I.; LEYPTSIG, A.V.;
MEL'NIKOV, V.M.; MOKSHANTSEV, K.E.; FRADKIN, G.S.; CHERSKIY,
N.V.; TROFIMUK, A.A., akademik, nauchn. red. vyp.; ROZHKOVA,
I.S., glav. red.; KOBELEVATSKIY, I.A., zam. glav. red.;
SHATALOV, Ye.G., zam. glav. red.; BONDARENKO, V.I., red.;
GRINBERG, G.A., red.; YEOLOVSKIKH, V.V., red.; RUSANOV, B.S.,
red.; SEMENOV, G.T., red., TKACHENKO, R.V., red.; KALANTAROV,
A.P., red.; GUSEVA, A.P., tekhn. red.

[Basic stages of the geological development and prospects for
finding oil and gas in the Yakut A.S.S.R.] Osnovnye etapy geo-
logicheskogo razvitiia i perspektivy neftegazonosnosti Iakut-
skoi ASSR. [By] D.K.Gornstein i dr. Moskva, Izd-vo AN SSSR
1963. 238 p. (MIRA 16:12)

(Yakutia--Petroleum geology)
(Yakutia--Gas, Natural--Geology)

MOKSHANTSEV, K.B.; GORNSTEYN, D.K.; GUSEV, G.S.; DEN GIN, E.V.;
SHTEKH, G.I.; KOSYGIN, Yu.A., otv. red.

[Tectonic structure of the Yakut A.S.S.R.] Tekhnicheskoe stronei IAkutskoi ASSR. [By] K.B.Mokshantsev i dr.
Moskva, Nauka, 1964. 289 p. (MIRA 18:1)

1. Chlen-korrespondent AN SSSR (for Kosygin).

MOKSHANTSEV, K.B.; GORNSHTEYN, D.K.; GUSEV, G.S.; DEM'GIN, E.V.;
SHTEKH, G.I.; KOSYGIN, Yu.A., otv. red.

[Tectonic pattern of the Yakut A.S.S.R.] Tektonicheskoe
stroenie Iakutskoi ASSR. [By] K.B.Mokshantshev i dr. Mo-
skva, Nauka, 1964. 289 p. (MIRA 1812)

1. Akademiya nauk SSSR. Yakutskiy filial, Yakutsk.
2. Chlen-korrespondent AN SSSR (for Kosygin).

Gorky Sh. Texy, 6-6.

FILE # 1000 EXPLORATOR

807/407

Akademy nauch Obrazotekhnika SSSR, Razdil elektronika

Vopros obshcho elektronika i radioelektronika (Overall Problems of the Electric Instrument Industry) Kiev, 1960. 26 p. 3,000 copies printed.

Additional Sponsoring Agency: Naukodozhitel'stvo obshchego prirodoznaniiyu
pryglazhdanosti. Organizatsiya resursov nauchno-prakticheskoye

Material Board: A. D. M. Ternavko, Corresponding Member, Academy of Sciences

Ukrainian SSR (USSR), Dr. V. A. Savchenko, Director of Scientific Council, Central

P. P. Chistyakov, Candidate of Technical Sciences, V. V. Petrenko, Candidate

of Technical Sciences, A. V. Goryainov, Engineer, J. Dr. Zakharevskiy

Engineer, and B. A. Shilov, Head of Publishing House; D. A. Krasnoveskiy Tech.

Ed. N. I. Tarashev.

Purpose: This book is intended for technical personnel working in the field of electric measurement techniques, in electrical measurement laboratories or

workshops or electric power systems and in electric measurement laboratories or

plants.

Content: This is a collection of reports presented at a conference on the overall development of the Soviet electrical industry held in Kiev on October 23-27, 1956. The conference was convened by the Institute of Electrical Machines, All Union Institute of Electrical Measurements, Academy of Sciences, and the Institute of Radioelectronics and Communications of the USSR Academy of Sciences. The Institute of Radioelectronics and Communications of the USSR Academy of Sciences, the Institute of the Electrical Measuring Industry, Research Institute of Electrical Instruments (Institute of Measurement and Control Engineering), the Institute of Materials (Institute of Metal Physics), and the Institute of Reference Instruments (In. S. Avetisov, T. K. Kosyrev), the Automation of Electrical-measuring Circuits (Yu. Yu. Shchegolev, Yu. N. Kuznetsov), the Theory and Practice of Magnetic Measurements (N. N. Gol'tea, G. G. Gerasimov).

Attending the conference were various scientific research institutes and schools of higher education, among which representatives of the main electric instrument plants ("Mitsubishi," "Leningrad Electrotechnical," "Kiev Electrotechnical," "Zelenogradsk," "Dzerzhinsk," "Tula," "Novosibirsk," and others) and various electric power systems. No personnel lists are provided. References are given.

Gorchakov, G. Application for Measuring the Magnetic Character-

Letter of Periodicals

The author describes the design of a reference apparatus constructed

for the study of ferromagnetic materials used for measuring magnetic permeability characteristics.

Habicht, F. and Yu. A. Rabinovich. Installation for Testing Magnetic Materials [Baudachernye] Materials at Fixed Frequency. The authors report on a UO-500-12 installation for testing non-magnetic materials at fixed frequency. Reasons are given for the selection of circuit and operational installations.

Orlova, N. V. Apparatus for Testing Magnetic Material Developed at the Elektrosvarkoexportproekt' Plant, and Intermediate Data Related to the Construction of a New Plant.

The author describes the construction of the plant and the installation of UOII designed and constructed by "Elektrosvarkoexportproekt" Plant of the Ministry of Nonferrous Metallurgy and Primary Processing (Ministry of the

Electrotechnical Industry). Zaporozh'e, Krymsk, L'vov, and L. Gerzen. The product of this plant is designed for testing various materials used in variable magnetic fields as a source for generating magnetic fields.

The basic ability of utilizing the differential induction approach for testing materials is noted. The experimental plant has a current-carrying circuit in series with the laboratory for the direct reading of the magnetic moment of the current-carrying coil. All tests (performed at different frequencies) are carried out on the current-carrying coil.

The product of this plant is designed for testing various materials used in variable magnetic fields as a source for generating magnetic fields. The circuit, which are used for testing, while carrying small currents, are of electric coil. Permissible accuracy of both the galvanometer for testing, when currents is indicated, when no reference currents, all omitted.

Razumovskiy, N. M. New Methods of Distributing Currents in Electric

Steel. The author establishes a method of distributing load in steel which is based on a constant value of losses due to eddy currents. There are 4 references, all Soviet.

S/137/61/000/001/039/043
A006/A001

Translation from: Referativnyy zhurnal, Metallurgiya, 1961, No. 1, p. 42,
11371

AUTHOR: Gornshteyn, G.L.

TITLE: The U578 (U578) Type Unit for Determining the Magnetic Properties
of Electrotechnical Steel According to GOST 802-54

PERIODICAL: "Vestn. priborostroyeniya", 1959, No. 1, pp. 34 - 38

TEXT: The author describes a semi-automatic controlled unit for determining all the magnetic characteristics of electrotechnical steel provided by the standards in force. The U578 type unit includes: 1) an Epshteyn-Lonkitsen differential apparatus for the testing of specimens with 10 kg mass; 2) a magnetizing device for determining induction in specimens of 1 kg mass; 3) a magnetizing device for determining losses in specimens of 1 kg mass; 4) a permeameter for determining induction B_{10} , intended for tests with 500 x 30 mm specimens; 5) a d-c and a-c regulating device; 6) a desk for the measuring apparatus and control elements; moreover, the set includes a M21/2 type ballistic mirror galvanometer. ✓

Card 1/2

S/137/61/000/001/039/043
A006/A001

The Y 578 (U578) Type Unit for Determining the Magnetic Properties of Electrotechnical Steel According to GOST 802-5⁴

The unit is power supplied from a circuit when determining losses during reversal of magnetization of steel at 50 cycles frequency; it is supplied from a power generator, at 400 cycles frequency; when determining B_r , a d-c generator is used with 110 v rated voltage, and about 3.5 kw power, or an accumulator battery of corresponding capacity.

I. N.

Translator's note: This is the full translation of the original Russian abstract.

Card 2/2

S/194/61/000/007/004/079
D201/0305

ATTACH: Gornohitcyna, S.A.

TITLE: Equipment designed at the "Tochelet-tropribor" factory for testing magnetic materials and future problems in developing new equipment

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika, no. 7, 1961, 7, abstract 7 A42 (V sb. Vopr. obozr. radioelektropriborostr., Kiyev, AN USSR, 1960, 124-133)

TEXT: Descriptions are given of the ferrometer Y 542 (U542) and of the equipment Y 541 (U541) for testing hard magnetic materials. The ferrometer U542 has been designed for determining $B_m(H_m)$, $B_m(H)$, $B_m(H_{1m})$, $B_m(H_{1m,p})$ and for the same relationships of B_{1m} . Structurally the ferrometer consists of three separate parts: The ferrometer proper, power supplies and a stand for testing tape samples. The oscilloscope 90-7 (E0-7) is used for visual observations of current,

Card 1/3

S/194/61/000/007/004/079
D201/D305

Equipment designed...

flux and hysteresis loop curves. The basic measuring element of the ferrometer consists of a vector analyzer of average values of emf's and voltages - an electrodynamic microammeter and of a mechanical rectifier. The latter is actually a synchronous motor, with a cam fixed to its shaft which closes and opens to contacts of the rectifier at the frequency of the motor excitation current. When measuring toroidal shapes of the material samples, a calibrated resistance or the primary coil of mutual inductance is inserted in the circuit of the magnetizing winding. A special yoke is used for testing tape-like samples. The special feature of the yoke is that the magnetic field intensity is measured by a calibrated coil and not by calculating it from the magnetizing current. The range of measurements of the magnetic field intensity and induction by means of U542 is 0.01 - 100 amp volt per cm and 50 ± 17000 gauss respectively. The accuracy of determining the above quantities is about ± 5%. The complete circuit of the ferrometer U542 is given and a comparison is made with similar equipment by Siemens and Halske a by the factory "Etalon". The U541 equipment is to be used in the

Card 2/3

Equipment designed...

S/194/61/000/007/004/079
D201/D305

ballistic method of testing of hard magnetic materials with H_c up to 1500 oersted. It consists of a ferrometer for strong fields, a control arrangement for continuous regulation up to 12 amp of the magnetizing current, the control bench, mutual inductance coil and of a ballistic galvanometer. The error in inductance and field intensity determination with U541 equipment does not exceed $\pm 3\%$. The supply is from a 110 V d.c. source. The circuit of the arrangement is given. 4 references. [Abstracter's note: Complete translation] ✓

Card 3/3

GORNSHTEYN, G.L.

Magnetometer for high frequencies. Trudy inst. Kom.stand.mer i izm.
priby no.64:60-64 '62. (MIRA 16:5)
(Magnetic instruments) (Magnetic materials--Testing)

GORNSHTEYN, I.A.; SHUL'MAN, I.A.; SAFARYAN, A.S.; FRIDLENDER, G.O.,
prof., red.; VOLKOVA, I.M., red.; BELYAYEVA, V.V., tekhn. red.

[Inertial navigation] Inertsial'naia navigatsiia. Pod red. G.O.
Fridlendera. Moskva, Izd-vo "Sovetskoe radio," 1962. 248 p.
(MIRA 15:12)

(Inertial navigation)

Gornsteyn, I. L.

USSR/Electricity

Card 1/1 : Pub. 133 - 7/20

Authors : Beregovskiy, Ya. M.; Dzyuba, N. P.; Gornsteyn, I. L.; and Zal'tzman, M. M.

Title : Measuring the attenuation of feeder lines of a radio broadcasting and receiving system

Periodical : Vest. syyazi 10, 12-15, Oct 54

Abstract : The inadequacy of contemporary methods for measuring the attenuation of feeder lines of a radio rebroadcasting system is pointed out and new methods, which permit more accurate measurement of the above mentioned system, are given. Diagrams; graph.

Institution : ...

Submitted : ...

GORNSHTEYN, I.L.

GORNSTEIN, I.L.

Determining the depth of embedded underground cables. Vest.sviazi
14 no.5:16-17 My '54. (MERA 7:7)

1. Inzhener laboratorii Kiyevskoy DRTS.
(Electric lines--Underground)

GORNSHTEYN, I.L., inzh.

Portable instrument for attenuation measurements. Trudy Sekt.
radiofik. i VRS Ukr. MTORIE no.3:23-30 '56. (MIRA 12:1)
(Radio measurements)

GORNSHTEYN, I. L.

6(4,7)

PHASE I BOOK EXPLOITATION

SGV/2865

Beregovskiy, Yakov Mikhaylovich and Isidor Leonovich Gornshteyn

Zatukhaniye v liniyah provodnogo veshchaniya i metody yego izmereniya
(Attenuation in Wire-Broadcasting Lines and Methods of Its Measuring)
Moscow, Svyaz'izdat, 1959. 49 p. (Series: Lektsii po tekhnike svyazi)
11,200 copies printed.

Sponsoring Agency: Ministerstvo svyazi SSSR. Tekhnicheskoye upravleniye.

Resp. Ed.: V.I. Shanurenko; Ed.: V.I. Bashchuk; Tech. Ed.: K.G. Markoch.

PURPOSE: The booklet is intended for skilled technical personnel employed in radio broadcasting.

COVERAGE: This is one of a series of lectures on communications technique. It is devoted to problems of measuring attenuation in wire broadcasting lines. Basic data on permissible standards of attenuation in separate sections of wire

Card 1/4

· Attenuation in Wire Broadcasting Lines (Cont.)

SOW/2865

broadcast networks are presented. Simplified methods of computing attenuation in various types of lines and an evaluation of errors in the existing methods are given. A new telemetering method for determining attenuation is investigated and its particular features, methods of application and prospects for its utilization are examined. The recommendations suggested by the authors are based on experience in operating the measuring equipment described in this booklet in the networks of the Kiyev DRTS. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Foreword	3
Introduction	4
Broadcasting Frequency Ranges	5
Characteristic of Various Wire Broadcasting Lines	6
Passage of Current in Wire Broadcasting Lines	9
Card 2/4	

Attenuation in Wire Broadcasting Lines (Cont.)	S/N/2865
Determination of Attenuation Magnitude	15
Methods of Measuring Attenuation in Wire Broadcasting Lines	22
Application of Telemetering Technique for Determining Attenuation	26
Advantages of telemetering	26
Basic principles of telemetering	26
Selection of the telemetering method	27
Telemetering communication channel	28
Telemetric Method of Determining Attenuation	29
General observations	29
Circuit of the voltage balance	30
Circuit of the current balance	32
Utilization of the Current Energy in Broadcasting for Measuring Attenuation	34
Card 3/4	

Attenuation in Wire-Broadcasting Lines (cont.) SOV/2865

Equipment for operational attenuation	
Measurements and its application	36
Station equipment	36
Portable equipment	41

Prospectives in the Utilization of the Telemetric Method
For Determining Attenuation 46

AVAILABLE: Library of Congress

Card 4/4

JP/gmp
1-22-60

GENIS, Andrian Aleksandrovich[Henis, A.O.]; GORNSTEIN, Isidor Leonovich[Hornshtein, I.L.]; PUGACH, Anatoliy Borisovich [Puhach, A.B.]; POLYANSKAYA, L.[Polians'ka,L.], red.; MATUSEVICH, S.[Matusevych,S.], tekhn. red.

[Cold-cathode thyratrons and their uses]Tyratryny z kholodnym katodom ta ikh zastosuvannia. Kyiv, Derzhtekhvyday URSR, 1961. 207 p. (MIRA 15:8)
(Thyratrons)

GORNSHTEYN, I.L., starshiy inzh.; SHEREMETEV, A.V., kand.tekhn.nauk

Remote control servicing of wire communication amplifying stations.
Vest. sviazi 21 no.1:5-7 Ja '61. (MIRA 15:5)

1. Kiyevskoye otdeleniye TSentral'nogo nauchno-issledovatel'skogo
instituta svyazi Ministerstva svyazi SSSR.
(Telecommunication) (Remote control)

GENIS, Andrian Aleksandrovich, inzh.; GORNSHTEIN, Isidor Leonovich, inzh.; PUGACH, Anatoliy Borisovich, inzh.; VEKSLER, G.S., kand. tekhn.nauk, retsenzent; POLYANSKAYA, L.O., inzh., red.izd-va; ROZUM, T.I., tekhn.red.

[Glow-discharge devices; theory fundamentals, schematics, and applications] Pribory tlelushchego razriadsa; elementy teorii, skhemy i ikh primenenie. Kiev, Gostekhizdat USSR, 1963. 374 p. (MIRA 17:3)

1. AGRACHEV, S.I. GORNSTEYN, K.P.
2. USSR (600)
3. Liver
4. Application of the thymol-veronal test to liver function tests in children.
Pediatriia No. 5 - 1952

9. Monthly List of Russian Accessions, Library of Congress, February, 1953. Unclassified.

ANASTASIYEV, F.I.; BROSTRE, A.A.; VESHENEVSKIY, S.N.; GEL'MAN, G.A.;
GORNISHTEYN, I.A.; ZIMENKOV, M.G.; KARVOVSKIY, G.A.;
KIELITSKIY, V.A.; KLEYN, P.N.; KLIMIKSEYEV, V.M.; KLYUYEV,
S.A.; KNORRING, G.M.; KORENEVSKIY, A.N.; LEYBZON, Ya.I.;
LIVSHITS, D.S.; LIGERMAN, I.I.; LOGINOV, O.I.; MILICH, M.B.;
NAYFEL'D, M.R.; OKOROKOV, S.P.; POLYAK, A.B.; ROYZEN, S.S.;
RYABOV, M.S.; SINITSYN, O.A.; SOLODUKHO, Ya.Yu.; SOSKIN, E.A.;
STASYUK, V.N.; BOL'SHAM, Ya.M., red.; GRACHEV, V.A., red.;
SAMOVER, M.L., red.; BORICHEV, I. Ye., red.; DANILENKO, A.I.,
red.; KHRAMUSHIN, A.M., red.; YAKUBOVSKIY, F.B., red.;
BRENDBURGSKAYA, E.Ya., red.; KOMAR, M.A., red.; BORUNOV,
N.I., tekhn. red.

[Handbook on electrical systems of industrial enterprises
in four volumes] Spravochnik po elektrostanovkam promyshlen-
nykh predpriatii v chetyrekh tomakh. Pod obshchei red. I.E.
Boricheva i dr. Moscow, Gosenergoizdat. Vol.1. [Design of
electrical systems of industrial enterprises in two parts]
Proektirovaniye elektroustanovok promyshlennyykh predpriatii
v dvukh chastiakh. Pt.2. Pod red. I.A.M.Bol'shama i dr.
1963. 598 p. (MIRA 17:3)

Gornshteyn, M. M.

AID P - 1476

Subject : USSR/Electricity

Card 1/1 Pub. 27 - 27/36

Author : Gornshteyn, M. M., Kand. of Tech. Sci.

Title : Power and frequency regulation of large hydroelectric power stations (Letter to the Editors)

Periodical : Elektrichestvo, 2, 75, F 1955

Abstract : The author of the letter refers to an article in this journal No.2, 1954 by B. I. Domanskiy and Ye. I. Yurevich. This article discusses problems exposed in the author's patent specification for his invention "Arrangement for the maintenance of static and dynamic stability of electric power systems." The author corrects certain inaccurate applications of his method.

Institution: None

Submitted : No date

1. NOSAL', V. I. and GORNISHTEYN, N. A.
2. USSR (600)
4. UFA Plateau - Geology, Structural
7. Geological structure of the right bank of the Irena River (basins of the Malya Telesa and Ariya Rivers) and of the right bank of the Ufa River (basins of the Sarsa and Ayaza Rivers), the western slope of the Ufa Plateau (report of the Sarsa-Ufa geological party on the work for 1945). (Abstract.) Izv.Glav.upr.geol.fcm. no. 2, 1947.
9. Monthly Lists of Russian Accessions, Library of Congress, March 1953, Unclassified.

MAKAROVA, Tamara Vil'gel'movna; GORNSHTEYN, N.A., starshiy geolog.
Prinimali uchastiye: IACHINOVA, I.G., starshiy tekhnik-geolog;
ARUTYUNOVA, O.I., starshiy laborant; PATRIKI, V.I., starshiy
kollektor; NOSAL', V.I., red.

[Permian sediments in the central provinces of the Russian
Platform] Permskie otlozheniya tsentral'nykh oblastei Russkoi
platformy. Pod red. V.I.Nosal'. Leningrad, Gos.nauchno-tekhn.
izd-vo neft. i gorno-toplivnye lit-ry, Leningr. otd-nie, 1957.
122 p. (MIRA 12:7)

(Russian Platform--Geology, Stratigraphic)

MAKAROVA, T.V.; GORNSHTEYN, N.A.

Permian sediments. Trudy VNIGNI no. 10:52-59 '58. (MIRA 14:5)
(Russian Platform--Geology, Stratigraphic)

MAKAROVA, T.V.; GORNSHTEYN, N.A.

Permian sediments in the Buzuluk key borehole (southeastern slope
of the Russian Platform). Trudy VNIGNI no.13:146-170 '59.
(MIRA 13:1)

(Russian Platform--Geology, Stratigraphic)

GORNSHTEYN, N.A.; GOROSHKOVA, V.A.

Oil and gas potentials of the Permian sediments of the Volga-Ural region in relationship with their facies composition. Trudy VNIGNI no.36:223-230 '63. (MIRA 17:9)

GORNSHTEYN, R.N.; IGNATENKO, K.A.

Establishing norms for metal consumption in repair work.
Mashinostroitel' no.12:7-9 D '65. (MIRA 18:12)

Бюро изобретений СССР

KOROLEV, V.V.; GORNSHTEYN, S.M.

Two-sided form for simultaneous laying of double brick blocks.
Rats. i izobr. predl. v stroi. no.2:36-40 '57. (MIRA 11:1)

1. Instruktor peredovykh metodov truda Glavmosstroya (for Korolev).
2. Proizvoditel' rabot tresta Mosstroy No.9 (for Gornshteyn)
(Building blocks)

LAUE, Max Theodor Felix von; GORNSHTEYN, T.N., [translator]; KUZNETSOV, I.V.,
redaktor; GRIGOROVA, V.A., redaktor; TUMARKINA, N.A., tekhnicheskiy
redaktor

[A history of physics. Translated from the German] Istoriiia fiziki.
Perevod s nemetskogo T.N.Gornshteyn. Pod red. i so stat'ei I.V.
Kuznetsova. Moskva, Gos. izd-vo tekhniko-teoret. lit-ry, 1956.
229 p.

(MLRA 9:9)

(Physics--History)

GORNASHTEYN, T.N.

SUBJECT: USSR/Philosophy

25-5-29/35

AUTHOR: Gornashteyn, T.N., Cand. of Philosophic Sciences

TITLE: What is Positivism? (Что такое позитивизм)

PERIODICAL: Nauka i Zhizn' - May 1957, No 5, pp 56-59 (USSR)

ABSTRACT: The relation of our perceptions to the surrounding world is a problem that has been occupying the minds of philosophers for thousands of years. One should think that the matter of fact philosophy called "materialism" is clear and simple. However, in the XIX century, the French philosopher Comte introduced the term "positivism" into modern philosophy. The Viennese physicist Mach developed under this name an entire philosophical system relating it to "positive" reasoning in science. His philosophy had many followers in Western countries but, according to the author, did not contribute to advance a scientific philosophy of life. On the contrary - positivism led to mysticism and religion.

Card 1/2

25-5-29/35

TITLE: What is Positivism? (Chto takoye pozitivizm)

ASSOCIATION:

PRESENTED BY:

SUBMITTED:

AVAILABLE:

Card 2/2

GORNSHTEYN, T.N. (Leningrad)

Kirchhoff's discovery of the law of thermal radiation. Vop.ist.est.i
tekh. no.10:62-67 '60. (MIRA 14:3)
(Heat—Radiation and absorption)

GORNSHTEYN, T.N.

Pierre Prevost's theory of mobile equilibrium. Trudy Inst.ist.
est.i tekhn. 28:302-338 '59. (MIRA 13:5)
(Prevost, Pierre, 1751-1839)
(Heat--Radiation and absorption)

GORNSHTEIN, T.N., kand.filos.nauk

Einstein and religion. Nauka i zhizn' 27 no.10:51-55 O '60.
(MIREA 13:10)
(Religion) (Einstein, Albert, 1879-1955)

GORNSTEYN, T.N.

Gustav Robert Kirchhof and his investigations of the heat radiation problem. Trudy Inst. ist. est. i tekhn. 34:110-156 '60.
(MIRA 14:2)

(Heat—Radiation and absorption)


LAUE, Maks [Laue, Max]; GORNSHTEYN, T.N.[translator]

My creative path in physics; autobiography. Usp. fiz. nauk
72 no.4:831-840 D'60. (MIRA 13:11)
(Laue, Max Theodor Felix Von, 1879-1960)

GORNSHTEYN, V. N., Engineer

"Most Advantageous Distribution of Loads Between Parallel-Operated Electric Stations."
Thesis for degree of Can. Technical Sci. Sub 10 Jun 49.
Moscow Order of Lenin Power Engineering Inst imeni V. M. Molotov.

Summary 82, 18 Dec 52, Dissertations Presented for Degrees in Science and Engineering in Moscow in 1949, From Vechernaya Moskva, Jan-Dec 1949.



RA 255T51

GORNSTEYN, V. M.

USSR/Electricity - Literature
Power Systems

Jan 53

"Review of M. D. Kamenskiy's Book 'Electric Power Systems,' " V. M. Gornshteyn, Cand Tech Sci

Elek Sta, No 1, pp 62-64

Kamenskiy's book ("Elektricheskiye sistemy", 2d ed, rev and suppl, 248 pp, Gosenergoizdat, 1952) covers following topics: economical load distribution among power station units, between power stations and systems; frequency,

255T51

voltage regulation; calcn of networks. Reviewer states book offers nothing new to power engrs for whom it is intended; treats many important subjects inaccurately, incompletely.

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5

GORNSHTEYN, V.G., kandidat tekhnicheskikh nauk.

Regulating effect of load. Elektrichestvo no.8:78-79 Ag '53. (MLR 6:8)
(Electric currents)

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5"

GORNSTEYN, V.M.

AID P - 2342

Subject : USSR/Electricity

Card 1/2 Pub. 27 - 6/30

Author : Gornsteyn, V. M., Kand. of Tech. Sci., Moscow

Title : Possibilities of improving the stability of electric power systems with lightly loaded interconnection ties.

Periodical : Elektrichestvo, 5, 27-31, My 1955

Abstract : The author presents the results of a theoretical analysis of a regulating arrangement of his design. The arrangement controls the automatic load transfer and functions with the change of the generator's emf displacement angle. It regulates the quantity of steam (or water) fed to the turbine. This arrangement operates together with the automatic reclosing of circuit breakers and is based on phase angle check up and control of turbine speed and acceleration. The experimental arrangement permitted obtaining an unlimited stability of steam-electric power stations (no tests were made with hydroelectric ones). Four diagrams, 5 Soviet references (1951-1954).

AID P - 2342

Elektrichestvo, 5, 27-31, My 1955

Card 2/2 Pub. 27 - 6/30

Institution: None

Submitted : Ag 28, 1954

Gornishteyn, V. M.

AID P - 4071

Subject : USSR/Power

Card 1/1 Pub. 26 - 29/33

Author : Gornishteyn, V. M., Kand. Tech. Sci.

Title : Determining data for dispatcher's choice of priority
for load distribution in turbo units.

Periodical : Elek. sta., 12, 56, 1955

Abstract : The author replies to an article published in No. 12,
1954 of this journal by Eng. V. N. Serebryannikov.

Institution : None

Submitted : No date

GORNSHTRYN, V. M., kandidat tekhnicheskikh nauk.

Necessary changes in the accepted system of power planning. Elek.
sta. 27 no.5:29-33 My '56. (MLRA 9:8)
(Electric power plants)

GORNSHTEYN, V.M., kandidat tekhnicheskikh nauk.

On L.D. Sternison's article "Automatic frequency regulation
in large power systems." Elek.sta. 27 no.8:58 Ag '56. (MLRA 9:10)

(Electric power distribution) (Sterninson, L.D.)

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5

✓ 86-00513R000616220018-5
CIA-RDP86-00513R000616220018-5

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5"

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5

44 DETERMINATION OF
COMPLEXITY OF POLYMER

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5"

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5

GORNIKHTBYN, V.M., kand.tekhn.nauk

Annual regulation conditions for hydroelectric power stations in power
systems. Elek. sta. 29 no.7:93 Jl '58. (MIRA 11:10)
(Hydroelectric power stations)

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R000616220018-5"

GORNSHTEIN, V.M., kand.tekhn.nauk, red.; KODKIND, I.I., red.; BORUNOV,
B.I., tekhn.red.

[Selecting the most efficient operating conditions for power
systems containing hydroelectric power stations] Vybor ekono-
michnogo rezhima energosistemy s gidrostantsiyami; sbornik
statei. Moskva, Gos.energ.iud-vo, 1959. 135 p. (MIRA 12:7)
(Electric power distribution)
(Hydroelectric power stations)

GOHNSHTEYN, Valentin Moiseyevich; DOLGOV, P.P., retsenzent; MEL'NIKOV,
N.A., red.; LARIONOV, G.Ye., tekhn.red.

[Efficient conditions of the operation of hydro stations in
electric networks] Naivygodneishie rezhimy raboty gidrostantsii
v energeticheskikh sistemakh. Moskva, Gos.energ.izd-vo, 1959.
247 p. (MIRA 12:4)

(Hydroelectric power stations)

B(2),8(3),8(5),8(6),28(1)

AUTHOR: Gornsteyn, V. M., Candidate of Technical Sciences

TITLE: Systems of Automatic Frequency Control and Active Load Distribution in Power Systems (Puti avtomatizatsii regulirovaniya chastoty i aktivnykh nagruzok v energosistemakh)

PERIODICAL: Elektrichestvo, 1959, Nr 1, pp 25-29 (USSR)

ABSTRACT: The conditions are examined for the most favourable operating method of power systems, as well as the possibility of fulfilling these conditions both with hand and automatic control of the operation. Not considering the losses of real load in the network, the formula (1) $b_I = b_{II} = \dots = b_N = b_c$ (Ref 1) is given for the condition of the most favourable operation of a power system consisting of caloric power stations only. b_I, b_{II}, \dots, b_N are the relative increases of consumption of fuel or money for the power stations of the system. b_c means the same for the whole power system. It is shown that systematically repeating, "short-termed" deviations from the most favourable operation can be avoided. The general

Card 1/4

Systems of Automatic Frequency Control and Active Load
Distribution in Power Systems

SOV/105-59-1-6/29

rule is that no relative increase over 5 % should be permitted. Referring to the operation method corresponding to condition (1), the following is stated: 1) At a given number and a given condition of the connected aggregates, each relative increase of fuel consumption in the whole power system corresponds to a certain capacity developed by each power station and therefore to a total of capacities of all power stations in the system: $P_c = \varphi(b_c)$. 2) P_c must be equal to the load of the power system. The only criterion for determining whether such equality is maintained is the frequency. In order to reach an astatic control of frequency, the change in relative increase has to be brought into connection with the integral of the frequency deviation or the synchronous time (as it was done in control systems of the ORGRES (Ref 4) and of the TsNIEL (Ref 6)). Therefore, the system for automatic control of frequency and the most favourable load distribution must possess an organ or organs which adjust the value of the relative increase b_c of the power system in dependence on the integral of frequency deviation. This organ is here called the

Card 2/4

Systems of Automatic Frequency Control and Active
Load Distribution in Power Systems

SOV/105-59-1-6/29

originator of the relative increase. Besides, this automatic control system must have organs which adjust a load for each power station corresponding to the relative increase given by the originator. These new organs are here called resolvers (reshayushcheye ustroystvo). This does not mean, however, that they are based on elements of mathematical computers. In the third place, the automatic regulation systems must have executive organs. These distribute the loads obtained from the resolvers for each power station among individual aggregates, and guarantee that the load of the aggregates is maintained according to the fixed values. Until recently, the originators of the relative increase and the resolvers were set up at the dispatcher point of the power system. But A. G. Moskalev (Ref 6) suggested to attach to each power station not only the executive organ but also the resolver belonging to the corresponding power station. As to the originator of the relative increase, one is sufficient for the whole system or for a group of power stations of the system. The point of view taken by Moskalev is represented here, and it is shown that, also in case of hydroelectric power

Card 3/4

Systems of Automatic Frequency Control and Active
Load Distribution in Power Systems

SOV/105-59-1-6/29

stations and the necessity of considering losses of power,
a decentralization of resolvers and executive organs is
justified, and offers a number of essential advantages.
There are 7 Soviet references.

SUBMITTED: August 27, 1958

Card 4/4

GORNSHTEYN, V. M. MOSKALEV, A. G.

"Methods of Optimum Load Distribution Among the Power Plants of an Electric System"

report presented at: The Madrid, Spain Sectional Meeting of World Power Conference, 5-9 June 1960.

GORNSHIEYN, V.M., kand.tekhn.nauk (Moskva)

A method of considering the operation of power systems to
facilitate their design. Elektrichestvo no.9:4-11 S '60.
(MIRA 13:10)
(Electric power production)

GORNSHTEYN, V.M., kand.tekhn.nauk (Moskva)

Methods of calculating changes in the consumption of fuel resulting
from the construction or expansion of hydroelectric power stations.
Elektrичество no. 11:13-19 N '60. (MIRA 13:12)
(Hydroelectric power stations) (Fuel)

GORSHTEM, V.I., Izd.nauk.izdat. (Soviet)

Determination of optimum operating conditions of power systems.
Elektricheskvo no.8:19-24 Ag '61. (MIRA 14:10)
(Electric power distribution)

GORNSHTEYN, V.M. (Moskva); GORTINSKIY, S M. (Moskva); KARTVELISHVILI,
N A (Moskva); MAMIKONIANTS, L.G. (Moskva); MEL'NIKOV, N.A.
(Moskva); TIMOFEEV, D.V. (Moskva); TSVETKOV, Ye.V. (Moskva)

Principal trends in carrying out overall electrification.
Elektrichestvo no.10:77-79 O '61. (MIRA 14:10)
(Electrification)

GINZBURG, S.A., kand.tekhn.nauk; GORNSTEYN, V.M., kand.tekhn.nauk;
SOVALOV, S.A., kand.tekhn.nauk

Fundamental principles of designing a computer for operational
calculation of the load distribution efficiency of a consolidated
electric utility system. Elek. sta.32 no. 5:35-41 My '61.
(MIRA 14:5)

(Interconnected electric utility systems)

GORNSHTEYN, V.M., kand.tekhn.nauk: KAROI', L.I., kand.tekhn.nauk
ZLATOPOL'SKIY, A.N., kand.tekhn.nauk

Fuel efficiency of hydroelectric power stations. Gidr. stroi. 32
no.10:41-44 0 '61. (MIRA 14:10)
(Hydroelectric power stations)

GORNSHTEYN, V.M., kand.tekhn.nauk (Moskva); LUGINSKIY, Ya.N., inzh. (Moskva)

Use of repeated electrical braking and unloading of units for
increasing the stability of electric power systems. Elektrichestvo
no.6:22-26 Je '62. (MIRA 15:6)
(Interconnected electric utility systems)

GORNSHTEYN, V.M., kand.tekhn.nauk

Methodology for calculating optimum load distribution between
the systems of a thermal electric power plant. Elek. sta. 33
no.8:2-7 Ag '62. (MIRA 15:8)
(Electric power plants)

GORNSTEYN, V.M.

Calculation of the fuel component in comparing the cost of various methods of power-system peak load coverage.

Report submitted for the Symposium on Peak Load Coverage Venice, Italy, May 20-23, 1963

GORNSHTEYN, V.M., kand.tekhn.nauk

Problem of rates and peak power loads in electrical systems.
Elek. sta. 34 no.8:40-45 Ag '63. (MIRA 16:11)

GORNSHTEYN, V. M.; SOVAILOV, S. A.; SMIRNOV, K. A.; USOV, S. V.

"The Economic Principles Governing Power System Operation Schedules in the
U.S.S.R."

report submitted for Intl Conf on Large Electric Systems, 20th Biennial Session,
Paris, 1-10 Jun 64.

ACCESSION NR: AP4019325

S/0105/64/000/003/0008/0012

AUTHOR: Borozinets, B. V.; Ginzburg, S. A.; Gornshteyn, V. M.;
Shlimovich, V. D.; Sovalov, S. A.; L'vov, Yu. N.

TITLE: Computer for calculating power-system economy operation and the
operating experience gained at ODU YeES

SOURCE: Elektrichestvo, no. 3, 1964, 8-12

TOPIC TAGS: power system, Soviet united power system, power system
economics, power system economics computer, computer, interconnected
power systems, high economy power system operation

ABSTRACT: An analog computer intended for calculating the high-economy
operation of the Soviet United Power System (UPS) is described. The following
features were taken into account in designing the computer: (1) The UPS is
represented by an equivalent network in which all generating stations of a local
power system are replaced by an equivalent station having an equivalent incre-
mental economy rate characteristic; (2) Easy setting of any incremental
characteristic; (3) System loads are represented by equivalent loads that have

Card 1/2

ACCESSION NR: AP4019325

individual load curves; (4) Interconnection-line losses are evaluated by special methods. The computer comprises the following essential parts: 16 generating station equivalents, 16 loads, 15 tie lines, 8 nonlinear units representing incremental losses due to power exchanges and tie-line load restrictions, 14 elements for setting the resistances of transmission lines. The computer includes 128 UPT-4 amplifiers, 1,000 6D6A diodes, 800 SP-2-A potentiometers, 2,000 resistors, 7 power-supply packs, etc.; power consumption is 7 kw. Computation of a set of operating UPS conditions takes about 2 hrs. The computer has been in continuous use since Nov. '62. "L. B. Denisevich (ODU YeES) and N. S. Malishevskaya (VNIIE) took part in aligning and operating the computer." Orig. art. has: 3 figures and 1 table.

ASSOCIATION: VNIIE (All-Union Scientific Research Institute of Electrical Power Engineering); ODU YeES (Joint Load-Dispatcher's Office, United Power System)

SUBMITTED: 10Jun63
SUB CODE: PR, EE

DATE ACQ: 27Mar64
NO REF SOV: 001

ENCL: 00
OTHER: 000

Card 2/2

GOENSHTEYN, V.M.

Determination of the optimum operation of power systems. Elektri-
cheskis no.6886-21 3562 (MIRA 1962)

GORNSHTEYN, V.M., kand. tekhn. nauk

Concerning V.S. Shakhanov's addition to his article published in
"Elektrichestvo" no.3 1962. Elektrichestvo no.7:76-83 Jl '64.

(MIRA 17:11)

GORNSHTEVN, V.M., kand. tekhn. nauk; MANUKYAN, R.S., inzh.; PAVERMAN, S.V.,
~~inzh.~~

Consideration of limitations in the form of disparity in the
calculation of economical operation of a thermal electric
power plant using an analog computer. Elektrichestvo no.4:
79-80 Ap '65.
(MIRA 18:5)

GORNSTEYN, V.M., kand. tekhn. nauk (Moskva)

Optimal operation of a power system taking into account mode
limitations using penalty functions. Elektrichestvo no.8:39-
44 Ag '65. (MIRA 18:9)

GORIUNG, B. V.

"K voprosu ob obrazovanii indoyevropeyskoy yazykovoy obshchnosti ('protoindoyevropeyskiye' komponenty ili inoyazychnye substraty)."

report submitted for 7th Intl Cong, Anthropological & Ethnological sciences,
Moscow, 3-10 Aug 64.

GORNUNG, M. B.

USSR/Geography - Propaganda

Card 1/1 Pub. 45 - 8/17

Authors : Gornung, M. B.

Title : Modern French geographical literature on France's colonies

Periodical : Izv. AN SSSR. Ser. geog. 3, 73-82, May - Jun 1954

Abstract : French literature about the French colonies is severely criticized as not being objective but as having been written for the purpose of justifying the conquest and retention of these lands. The Americans are accused of helping the French to keep the colonial people in subjection. Eight French references (1937-1953).

Institution: Geographic Institute of the Academy of Sciences of the USSR

Submitted:

GORNUNG, M. B.

USSR/ Geography Scientists

Card : 1/1 Pub. 45 ~ 16/20

Authors : Gornung, M., and Malzina, E.

Title : Scientific conference of young scientists of the Institute of Geography
of the Acad. of Sc. USSR

Periodical : Izv. AN SSSR. Ser. geog. 4, 91 - 92, July - August 1954

Abstract : Minutes of meeting of young scientists of the Institute of Geography
of the Acad. of Sc. USSR, held in April 1954. Names of important
lecturers present at the meeting, are included.

Institution :

Submitted :

Gromming, M. B.

USSR/ Scientific Organization - Conferences

Card: 1/1 Pub. 45 - 13/16

Author(s) : Gromming, M.

Title : Eighth International Botanical Congress

Periodical : Izv. AN SSSR. Ser. geog. 6, 96 - 99, Nov - Dec 1954

Abstract : An account is given of the eighth International Botanical Congress held in Paris from the 2nd to the 14th of June 1954, in which more than 2,000 scientists from many countries took part. In the Soviet delegation there were systematic and morphological botanists, geo-botanists, palinologists, biochemists and representatives of other sciences. Various papers were read and discussed. After the close of the session an excursion was made to equatorial Africa.

Institution:

Submitted:

AMBROGGI, R.; GORNUNG, M.B. [translator]; BOGOMOLOV, G.V., redaktor;
SVET, Ya.M., redaktor; SHAPOVALOV, V.I., tekhnicheskiy redaktor.

[Hydrogeology of Morocco. Translated from the French] Gidrogeologija
Marokko; XIX Mezhdunarodnyi geologicheskii kongress. Pereved s fran-
tsuzskogo M.B.Gornunga. Pod red. i s predisl. G.V.Bogomolova. Moskva,
Izd-vo inostrannei lit-ry, 1955. 359 p.
(Morocco--Hydrology) (MLRA 9:4)

GORNUNG, M. B.

USSR/ Scientific Organization - Conferences

Card 1/1 Pub. 45 - 10/18

Authors : Beloysov, V. V., and Gornung, M. B.

Title : Tenth convention of the International Geophysical and Geodesic Union

Periodical : Izv. AN SSSR. Ser. geog. 1, 87 - 93, Jan-Feb 1955

Abstract : An account is given of the convention of the International Geophysical and Geodesic Union, held in Rome in September 1954, which was attended by more than one thousand persons from 51 countries. The branches of science represented were geography, geology, geodesy, geophysics, seismology, oceanography, terrestrial magnetism, meteorology, hydrology, vulcanology, and others. Delegates also made an expedition to a volcanic region in Italy for observation. Illustrations.

Institution : Acad. of Sc., USSR, Geophysics and Geographic Institutes

Submitted :

Gormung, M. B.

User/ Scientist + Geography

Card 1/1 Pub. 45 - 13/14

Authors : Gormung, M. B.

Title : Visit of French geographers in the USSR

Periodical : Izv. AN SSSR. Ser. geog. 6, 99 - 101, Nov-Dec 1955

Abstract : Notes and observations are presented from the visit in the USSR of a French group of geographers which took place in the middle of July 1955.

Institution :

Submitted :

GORNUNG, M.B. (Moskva)

Book about the scientific center of West Africa ("L'Institut Français d'Afrique Noire". Reviewed by M.B.Gornung). Priroda 44 no.11:124-126 N '55.
(Africa, West--Scientific Societies) (MIRA 9:1)

GORNUNG, M.B.

Interuniversity geographical excursions in France. Izv.AN SSSR.Ser.geog.
no.4:136-139 Jl-Ag '56. (MIRA 9:10)
(France--Geography--Study and teaching)

GORNUNG, M.B.

"The French Sahara" by R. Capot-Rey. Reviewed by M.B. Gornung.
Izv.Vses.geog.ob-va 88 no.6:564-566 N-D '56. (MLRA 10:2)

(Sahara--Physical geography)

GORNUNG, M. B.

"Some new Soviet Publications on the Geography of Asia for the Period 1950-1956,"
paper submitted for presentation at the International Geographical Union Regional
Conference, Japan, 19 August - 13 September 1957.
(Section of Regional Geography and Miscellaneous)

GORNUNG, Mikhail B. - Inst. of Geography Acad. Sci. USSR, Moscow

GORKOVSKY, M.

SOKOLOV, M.; GORNUNG, M.; MENZHIINSKIY, Ye.; OLEYNIKOV, I.; TIKHOMIROV, V.P.,
otvetstvennyy redaktor; KOSTINSKIY, D.N., redaktor; KOSHELEVA, S.M.,
tekhnicheskiy redaktor

[Liberia, Togo, The Cameroons, Sierra-Leone, Gambia] Liberia, Togo,
kamerun, S'erra-Leone, Gambiya. Moskva, Gos. izd-vo geogr. lit-ry.
1957. 27 p.
(Africa, West) (MLRA 10:2)

Concordia 1676

VOLKOV, A.V.; GOREUNG, M.B.

Geographical science in Brazil. Izv. AN SSSR. Ser. geog. no. 1:127-135
Ja-F '57. (MLRA 10:4)

(Brazil—Geography—Study and teaching)

GORNUNG, M.B.

GORNUNG, M.B.

Establishment of the National Committee of Soviet Geographers.
Izv. AN SSSR Ser. geog. no.2:148 Mr-Ap '57. (MIRA 10:12)
(Geographers)

(Continued)

ALAMPYEV, P.M.; GERASIMOV, I.P.; GORNUNG, M.E.; GOKHMAN, V.M.; ZHIRMUNSKIY,
M.M.; KOVALEVSKIY, V.P.; KULAGIN, G.D.; MILEYKOVSKIY, A.G.; MEYSHTADT,
H.I.; POPOV, K.M.; PULYARKIN, V.A.

A.S. Dobrov; obituary. P.M. Alampiev and others. Izv. AN SSSR. Ser.
geog. no.4:143-144 Jl-Ag '57. (MIRA 11:1)
(Dobrov, Aleksandr Semenovich, 1901-1957)

GORNUNG, M.B.

Concerning the so-called steppes of North Africa. Vop. geog. no.40:
103-110 '57. (MERA 10t8)
(Africa, North--Steppes)

GORNUNG, M.B.

International Geographical Congress. Priroda 46 no.2:49-53
F '57. (MLRA 10:3)

1. Institut geografii Akademii nauk SSSR (Moskva)
(Rio de Janeiro--Geography--Congresses)

GORNUNG, Mikhail Borisovich; LAVRENT'Yeva, Ye.V., red.; VILDEISKAYA, E.N.,
tekhn.red.; MAL'CHEVSKIY, G.I., red.kart

[Algeria; its physical geography] Alzhiria; fiziko-geografiches-
kaia kharakteristika. Moskva, Gos.izd-vo geogr.lit-ry, 1958.
286 p.

(12:1)
(Algeria--Physical geography)

GURKIN M. B.

5(5) PLAIN 1 BOOK INFORMATION 807/781
Abdushev, N.M. *Physical geography*.

Topografskaya literatura, Sovetsk. [Problems in Physical Geography].
Moscow, Izd-vo Akad. Nauk SSSR, 1958. 370 p. Printed 1,500 copies printed.

Imp. N.M., 63, Military Sector of Geographical Sciences,
Geography Ed. or Publishing House: D.A. Tikhonov,
Tech. Ed. N.I. Novikova.

REVIEW: This book is intended for meteorologists, hydrologists,
geologists, geologists, and students of physical geography
in general.

REVIEW: These articles are dedicated to Academician A.A.
Dobrynin's 75th birthday. They treat problems in physical geography pertaining to the northern regions of the USSR and partial parts
of Europe. The majority of the articles are devoted to questions of latitudinal and vertical zonation and contain much factual material on the relationship between the various
physical components. Practical conclusions and meteorological
principles are cited. Each article is accompanied by maps, photographs and numerous bibliographic references.

Problems in Physical Geography 807/781

Georgiev, N.D. and D.A. Tikhonov. Zonal Characteristics
Manifested in Erogenous Relief-Shaping Processes 74
Georgiev, I.P. Natural Subtropical (Mediterranean)
Regions of the USSR and Their Fair Weather Conditions 103
Prilozh. V.M. The Relationship Between the Vertical
Zoning Structure of Soils in Mountainous Areas and
Climate Conditions Exemplified by the Bol'shoy
River 113
Tikhonov, P.M. Biogeomorphological Characteristics of
the Central Asian Plateau 119
Tikhonov, N.M., V.V. Klimov, Shaya, D.A. Tikhonov, and
A.P. Chubarev. Trial Analysis of the Qualitative
and Quantitative Indices in the Physiogeographical
Zones of Kazakhstan (Armen River Basin) 124

Date 5/5

KAPO-REY, Rober [Capot-Rey, Robert], prof.; GORNUNG, M.B. [translator];
SOKOLOV, A.N. [translator]; LAVRENT'YEVA, Ye.V., red.; KUSHLEVA,
Z.A., red.kart; NOGIHA, N.I., tekhn.red.

[French Sahara] Frantsuzskaia Sakhara. Moskva, Gos.izd-vo geogr.
lit-ry, 1958. 495 p. Translated from the French. (MIRA 13:3)

1. Alzhirskiy universitet (for Kapo-Rey).
(Sahara)

GERASIMOV, I.P.;GORNUNG, M.B.

International Geographical Conference in Japan. Izv. AN SSSR. Ser,
geog. no.1:16-27 Ja-F '58. (MIRA 11:2)
(Japan--Geography--Congresses)